

B-HCB

HCB

S

IEC534-2-1976

ANSI B16.104

GB/T4213-2008 JB/T7387-2014

DN32 40 50 65 80 100 125 150

200 250 300 350 400 450

ANSI 150 300 600 PN16 40 63

FF RF RJ TG MFM

JB/T79.1-94 JB/T79.2-94

ANSI16.5-1981 HG

3()6()TJETD52 431.93 Tm(A)- 4MCI350431.93 Tm2 Tr 0.34208 -5(JOB

0.01

ANSI B16.104-1976

10 -7



ANSI 16.104-1976

1

3

 ± 1 ± 5

50:1



DN	L							
	ANSI 150Lb PN16 RF	JIS 16K RF	ANSI 300Lb PN40 MFM	ANSI 600RF PN63 MFM	JIS16K TG	JIS 20K TG	JIS 30K TG	JIS40K TG
32	222		235	251				
40	222	231	235	251	235	236	248	251
50	254	263	267	286	265	267	276	286
65	276	288	292	311	290	292	303	311
80	298	313	317	337	310	317	326	337
100	352	364	368	394	360	368	379	394
125	403		425	457		425		457
150	451	465	473	508	475	473	486	508
200	543	560	568	610	570	568	580	610
250	673		708	752		750		750
300	737		775	819				
350	889		927	972				
400	1016		1057	1108				
450	1140		1281	1239				

H1

DN			H	C	E	H1	
32	IQL04 06	PN16 150Lb	625	172	70	100	
		PN40 300Lb					
		PN63 600Lb					
40	IQL04 06	PN16 150Lb	625	172	70	100	
		PN40 300Lb					
		PN63 600Lb					
50	IQL04 06	PN16 150Lb	625	172	80	100	
		PN40 300Lb					
		PN63 600Lb					
65	IQL04 06	PN16 150Lb	700	172	88	100	
		PN40 300Lb					
		PN63 600Lb					
80	IQL04 06	PN16 150Lb	705	172	98	100	
		PN40 300Lb					
		PN63 600Lb					
100	IQL08 10	PN16 150Lb	765	229	113	115	
		PN40 300Lb					
		PN63 600Lb					
125	IQL10 12	PN16 150Lb	845	229	146	115	
		PN40 300Lb					
		PN63 600Lb					
150	IQL12 20	PN16 150Lb	845	229	170	115	
		PN40 300Lb					
		PN63 600Lb					
200	IQL20	PN16 150Lb	1245	258	220	230	
		PN40 300Lb					
		PN63 600Lb					
250	IQL20 25	PN16 150Lb	1625	258	305	230	
		PN40 300Lb					
		PN63 600Lb					
300		PN16 150Lb					
		PN40 300Lb					
		PN63 600Lb					
350		PN16 150Lb					
		PN40 300Lb					
		PN63 600Lb					
400		PN16 150Lb					
		PN40 300Lb					
		PN63 600Lb					
450		PN16 150Lb					
		PN40 300Lb					
		PN63 600Lb					